



**File Name:** canon eos a2e instruction manual.pdf

**Size:** 2784 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 26 May 2019, 17:23 PM

**Rating:** 4.6/5 from 626 votes.

**Status:** AVAILABLE

Last checked: 14 Minutes ago!

**In order to read or download canon eos a2e instruction manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon eos a2e instruction manual . To get started finding canon eos a2e instruction manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# canon eos a2e instruction manual

It'll make you feel better, won't it Use the above address for a check, M.O. or cash. NOTE they only print in Black and White. This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size The Limited International Warranty is only effective upon presentation of the warranty card and proof of purchase. Equipment covered by this Warranty will be repaired by Canon International Warranty Members located in the United States, Canada, Australia, the United Kingdom and New Zealand WITHOUT CHARGE. List of Canon International Warranty Members included with the equipment. Equipment covered by this Warranty will be repaired by Canon International Warranty Members WITHOUT CHARGE, except for insurance, transportation and handling charges. See list of Canon International Warranty Members included with the equipment. When returning equipment for warranty service, the shipping charges must be prepaid and the equipment should be shipped in its original carton or box, or an equivalent, properly packed to withstand the hazards of shipment and be fully insured. A copy of this warranty card and proof of purchase should be enclosed, as well as a description of the problem, film samples, etc. This warranty only covers defective materials or workmanship encountered in normal use of the equipment, and does not apply in the following cases Fred Thomas Drive, P.O. Box 33336, Takapuna Auckland Canon UK Ltd. Brent Trading Centre. North Circular Road Neasden, London NW10 OJF Canon U.S.A. <http://www.crammotorsport.com/hp-2400-printer-manual.xml>

- **canon eos a2 instruction manual, canon eos a2 owners manual, canon eos a2e instruction manual, canon eos a2e instruction manual pdf, canon eos a2e instruction manual download, canon eos a2e instruction manual 2017, canon eos a2e instruction manual 2016.**

, One Canon Park, Melville, NY 11747 The above address is not to be used for the MAILIN SERVICE program Visit the Canon Online Store Adapter EcC, EdC With three lens elements in three groups, chromatic aberration and distortion are effectively corrected to give crystalclear images. Eye fatigue is not a problem even after prolonged use. Holds 12 Cameras bodies, 34 lenses and accessories. Inside measurements W x H x D 10 x 14.75 x 5 inches. Rugged nylon, waterrepellent, urethane coated for extra durability. Wellarranged divider system for secure storage and easy access. Lightweight construction, padded shoulder straps and back for comfort. Front webbing ideal for storing a light jacket. Tripod carrying straps. Color Black with Olive. Front and Rear zippered pouches. Zippered fulllength mesh pouch inside top cover. Divider system for secure storage and easy access. It is designed to hold two 35mm SLR bodies, 5 8 lenses, plus film and accessories. It features a 3way pan head for precise control and smooth movement. The 3section tubular leg construction allows for exceptional stability indoors or out. The Deluxe Tripod 300 features a 3 way pan head for precise control while the 3 section tubular leg construction allows enhanced stability indoors and outdoors. The lens fits into the eyepiece holder of you EOS camera. Please see the Compatibility tab for a list of compatible EOS cameras. The Dioptic Adjustment lens fits into the eyepiece holder of the camera. Dioptic adjustment lenses are for the viewfinder eye piece. The Dioptic Adjustment lens fits into the eyepiece holder of the camera. Dioptic adjustment lenses are for the viewfinder eye piece. The lens fits into the eyepiece holder of you EOS camera. Please see the Compatibility tab for a list of compatible EOS cameras. Made from Cordura Nylon. Large Zippered

Front Accessory Pocket. Zippered Mesh Pocket Inside Top Lid. Two Side Accessory Zippered Pockets. Tripod Loops on Bottom. Five Movable, Padded Internal Dividers. <http://gibidesign.com/fckfiles/hp-2420-service-manual.xml>

Two Strap Handles with Grip. Removable Shoulder Strap. Rubber Feet for Ground Protection. It features a foam grip on the top leg section, a hand strap, flip lock leg sections, and rubber leg tip. Features adjustable tripod straps, and high strength buckles for the main compartment. The Canon logo is embroidered on the top flap. Directly coupled Page 14 Untitled13.jpg The shutter curtain oper— Fitm rewind The film automatically rewinds after the last Page 16 Untitled15.jpg 5. Adjusting the Viewfinder Diopter Page 17 Untitled16.jpg Ill Shooting Preparations 1. Selecting the AF Focusing Point. The preparations described in this section are TWO methods are available. Page 18 Untitled17.jpg Page 19 Untitled18.jpg Page 20 Untitled19.jpg Page 21 Untitled20.jpg 3. Selecting the AF Mode When taking pictures in an AE shooting 1 Set the quick control dial switch to I. Page 26 Untitled25.jpg 6. Turning Off the Beeper Page 27 Untitled26.jpg 7. Using the Builtin Flash. The builtin flash zooms automatically to ad The flash can be used in any. Page 28 Untitled27.jpg Page 29 Untitled28.jpg Page 30 Untitled29.jpg Flash Shooting Distance Flange Page 31 Untitled30.jpg 8. Flash Exposure Compensation. Page 32 Untitled31.jpg After setting the desired compensation Flash Exposure Compensation Priority Page 33 Untitled32.jpg Page 34 Untitled33.jpg 2. Tv Shutter priority AE Page 35 Untitled34.jpg Page 36 Untitled35.jpg Page 37 Untitled36.jpg Page 38 Untitled37.jpg 5 Compose the picture and press the shut—Set this mode to use the lens builtin macro Use this setting for taking pictures of sporting Page 51 Untitled50.jpg Page 52 Untitled51.jpg Page 53 Untitled52.jpg VI Reference 1. Exposure Warnings Page 54 Untitled53.jpg Exposure Warnings When Using Flash Page 55 Untitled54.jpg Page 56 Untitled55.jpg Program Shift Characteristics. Page 57 Untitled56.jpg Page 58 Untitled57.jpg VII Accessories Page 59 Untitled58.jpg Speedlite 430EZ. This professional flash unit is designed with Page 60 Untitled59.

jpg Focusing Screens 4 Matte Screen with Scale Page 63 Untitled62.jpg F remote Switch 60T3. This switch connects to the cameras 3pin I Battery performance deteriorates slightly in Page 66 Untitled65.jpg Specifications. TYPE AND MAJOR COMPONENTS Focusing Point Five focusing points provided. Focus—. Type 35mm focal plane shutter SLFi single lens. Page 67 Untitled66.jpg Page 68 Untitled67.jpg Attaching the Strap. Please try again. Please try again. Then you can start reading Kindle books on your smartphone, tablet, or computer no Kindle device required. Register a free business account If you are a seller for this product, would you like to suggest updates through seller support To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. As we all know, that the product can't be separated from its manual. From the manual, they will be able to know the basic information about the product. So, to understand the Canon EOS A2A2E camera, obviously we need to learn what are stated in the Canon EOS A2A2E Manual. That's why this manual is so important, especially for the Canon EOS A2A2E camera users. Contents show 1 The Introduction to Canon EOS A2A2E Manual 1.1 Canon EOS A2A2E Look 1.2 Canon EOS A2A2E Specification 1.3 Canon EOS A2A2E Impression and Price 2 Canon EOS A2A2E Manual The Introduction to Canon EOS A2A2E Manual For you who have following this site for a long time, you must understand the first thing to discuss. As usual, we always put the specification of a product first before talking further about the manual. Therefore, at this time, we will talk about this Canon camera specification and then move into the Canon EOS A2A2E Manual. So, let's get down to the business. Here it is, the Canon EOS A2A2E manual. Canon EOS A2A2E Look Looking for old Canon products.

Canon EOS A2 should be on your wish list then. EOS A2 is also well known as EOS 5 or EOS A2E. This product is purposed for semiprofessional usage in which it is bundled by 35 mm SLR camera film. This product is started to be sold in 1992 and was replaced by the next model, Canon EOS 3, in

1993. As past camera, EOS A2 has superiority even it cannot be compared to nowadays' technology. With the case dimension of 154 x 121 x 74 mm, this Canon's camera looks so stylish. You will be amazed on how it is handgrip and help your activities with it. Moreover, it is supported by its light weight for about 675 grams that is quite practical to bring everywhere and every time. Those two advantages make EOS A2 worthy to be stated as userfriendly. For those who love to take candid on certain object, the AF mode brings three frames per second. Once again, you shouldn't have to compare this product to the newest technologies. Canon EOS A2A2E Specification Custom Function 4 feature of this camera will allow you to move autofocus easily. Based on the Canon EOS A2A2E manual, the EOS A2 also helps you to manage the autofocus in order to create amazing images. Further, this product also results on the amazing image with the size of 24 x 36 mm. And the viewfinder is made of fixed eyelevel pentaprism with 0.73x zoom. You are going to get as real as possible the object through EOS A2 because it scopes 94% horizontal and 92% vertical coverage. Related article Canon EOS50D Manual User Guide Further, to support capturing activity in low light area, you are able to use builtin flash located on the top of the camera. You are also capable of activating Full Auto and Programmed Image Control to activate the flash automatically based on the brightness of the environment. While in the power source, a 6 V 2CR5 Lithium battery is believed as the main source in EOS A2. These features might look a little bit old fashioned. But, at that time, they were considered as highly sophisticated.

Canon EOS A2A2E Impression and Price On August 9th, 1997, John A. Klein stated on [www.photo.net](http://www.photo.net) that he had used an A2 for 3,5 years in some of the harshest conditions imaginable. He had an F4, which he found to be inadequate in many areas for my needs. He shot a lot of EMS and fire scenes and the A2's ability to hold focus is amazing, as is the eyecontrolled focusing system and the flash head IR assist. Related article Canon EOS7D Manual User Guide He also had dropped mine at least 4 times and the camera still performed flawlessly. It's going to take some very strong features on the newest Canon to drag me away from my trusty A2. Lastly, talking about price, based on [www.amazon.com](http://www.amazon.com), the price for new item of Canon EOS A2 User Manual is 300 USD. The price might be different in other websites. Canon EOS A2A2E Manual With all the specifications above, it will be a little bit complicated to operate the Canon EOS A2A2E product. This is when we need the Canon EOS A2A2E manual. In this manual, we will find essential information related to this camera product. Some information such as specification, operation, features, basic function, all of them are provided in this Canon EOS A2A2E manual. Related article Related article Canon EOS30D Manual User Guide Therefore, for you who want to improve your understanding toward this product, the Canon EOS A2A2E manual below can be a valuable reference. This manual will be provided in PDF for an easier access. So, for you who are about to use this manual, you better to download the PDF reader software such as Adobe Reader. Download EOS A2A2E Manual That's all of the information we need to share regarding to the Canon EOS A2A2E manual. With this update, we hope we could give you valuable reference in understanding this Canon EOS A2A2E product. And if you find this article is useful, you may share this article to your personal page. So, that we will be able to spread this information to the wider range of audience.

Share Pinterest Tweet Linkedin Email Prev Article Next Article Related Articles Canon PowerShot SX540 HS Manual User Guide and Specification Canon PowerShot ELPH 520HS Manual User Guide and Detail Specification Leave a Reply Cancel reply This site uses Akismet to reduce spam. Learn how your comment data is processed. By continuing to use this website, you agree to their use. Please consider supporting us by disabling your ad blocker. Refresh. You just look at the desired focusing point to select it and the camera autofocuses at that point. It was a dream feature. A focusing point can also be selected manually. Other outstanding features include silent operation, 16zone evaluative metering linked to the five focusing points, 3.5% spot metering at center, centerweighted averaging metering, shutter speedpriority AE, aperturepriority AE, Intelligent program AE, depthoffield AE, Programmed Image Control modes, and metered manual. MultiBASIS

for the AF sensor. Five focusing points selectable by Eye Control, dial operation, or by the camera. Builtin electronic selftimer with beeper and lamp. Maximum 9 multiple exposures. 16 Custom Functions. TTL zoom autoflash control fires automatically in backlight and lowlight conditions in the Full Auto and Programmed Image Control modes with offthefilm metering. Redeye reduction lamp provided. Auto zoom flash head for 28mm, 50mm, and 80mm focal lengths. Automatic film advance with builtin motor. Normal film advance of approx. 3 fps. Highspeed film advance of approx. 5 fps. Singleframe advance provided. Midroll rewind enabled. The camera was powered by a 6 volt lithium 2CR5 battery, or, with the optional Canon BP5 Battery Pack, could be powered by D batteries attached to the belt of the user. The Canon VG10 Vertical Grip added a shutter release, control wheel, AE Lock button and Focus Point Selection button to the bottom of the camera for portrait orientation use, but did not add AA batteries as a power source.

These modes selected whether the exposure settings were set automatically, semiautomatically or fully manually. These were userselectable by means of a button on the back of the camera and the command dial. At the time, this feature was unique to Canon. The A2 had the same five focus points, but they could only be selected manually. Although the EOS 5 had an optional vertical grip, the VG10, the eyecontrolled focussing feature only worked when the camera was held in horizontal orientation. In full manual mode, the dial above the shutter reverts to adjusting the shutter speed, and the back dial controls the aperture. Please improve this by adding secondary or tertiary sources. August 2008 Learn how and when to remove this template message Please help improve this article by adding citations to reliable sources. Unsourced material may be challenged and removed. Archived from the original on 20150923. Retrieved 20080813. By using this site, you agree to the Terms of Use and Privacy Policy. Something went wrong. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab Delivery times may vary, especially during peak periods. Learn more opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postcode. Please enter a number less than or equal to 1.

If you dont follow our item condition policy for returns, you may not receive a full refund. Refunds by law In Australia, consumers have a legal right to obtain a refund from a business if the goods purchased are faulty, not fit for purpose or dont match the sellers description. More information at returns. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab The item may have some signs of cosmetic wear, but is fully operational and functions as intended. This item may be a floor model or an item that has been returned to the seller after a period of use. See the seller's listing for full details and description of any imperfections. Contact the seller opens in a new window or tab and request post to your location. Please enter a valid postcode. Please enter a number less than or equal to 1. Sellers may be required to accept returns for items that are not as described. Learn more about your rights as a buyer. opens in a new window or tab You're covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing. We may receive commission if your application

for credit is successful. Terms and conditions apply. Subject to credit approval. We may receive commission if your application for credit is successful. All Rights Reserved.

You must have JavaScript enabled in your browser to utilize the functionality of this website. Sell your camera today and get top market value. Shows moderate wear Glass may have slight More than average wear for the age of the item, and may have dents, dings or finish loss. Glass may have marks or blemishes, but should not affect picture quality. Purchase an extra manual if you need more information about the settings, features, or specifications of your camera. It is also quite common that customers throw out User manuals are also Try Google Search! Kit RODLNKFM Rode RodeLink Wireless Filmmaker Kit RODLNKFM Posted by Rick 20200818 143821 Hello, could you please send me rodelink filmmaker manual in spanish. Thank you in advance However, when I charge it, the red light become green for a second and then still on the charge starts to flash red again. Manual please Jammin iRocker Electronic Drum Set IROCKER Posted by Sparky 20200815 215729 Manual Please Thanks. The manual is automatically downloaded on the desktop or in the file downloads of your computer. The same way is also possible if you prefer to search by choosing the menu Brands. To view the documents, you must have Adobe Reader installed on your computer. To download free the most recent version of this software click here. Finished book size is A5 148 x 210mm. 80 pages long. Our reprints are high quality, printed on 80gsm superwhite Canon paper on a Canon office copier. The pages are then spiral bound with a clear acetate front cover and red card back cover, held together with a strong white wire. Your manual will lay flat when open and will last for as long as your camera, with a little bit of care. Manuals over 400 pages long may be supplied as more than one book. This camera is also known as USA EOS A2E Japan EOS 5. Your manual will lay flat when open. This camcorder is also known as USA A1D Japan A1D. It may not display this or other websites correctly. You should upgrade or use an alternative browser.

Thus you wont find one on Canons website although bootleg scans pop up now and again. They dont last long due to copyright violations. Theyre HTML so not downloadable in the sense of a PDF. Well, you could use Acrobat web capture and turn it into a PDF. Email the address at the bottom of the page and Lars will send you a PDF of the A2E manual. A fine camera by the way. Henry. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Delivery times may vary, especially during peak periods. Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postcode. Please enter a number less than or equal to 1. All Rights Reserved. In North American it was called the EOS A2E, or, sans ECF, A2, but the rest of the world knew it as the EOS 5. Most of these features and this control interface are still standard on current midrange EOS DSLRs. A modern day EOS digital shooter will feel right at home with the controls of an EOS 5. With a production span of 10 years, the EOS its a little larger Like the Elan, I had an accident with Polycarbonate Sadly, Canon didnt improve much on this basic design for their midrange cameras until the release of the EOS 40D in 2007 all cross points. EOS A2 owners wont One of the five AF sensors in the viewfinder confirms focus by flashing red. Foreground Background Offcenter subject Its your choice. No more locking focus and recomposing. The gotcha is ECF only works in landscape orientation for this model. The EOS 3, Elan IIE, Elan 7E and Elan 7NE have newer ECF designs and work in both landscape and portrait orientation. Another persons calibration wont work for you. Calibration is simple twist the knob to CAL and look at flashing rectangles while pressing the shutter. Calibrations are cumulative, i.e., the camera learns to track your eye better with each calibration, especially if you calibrate with different lighting and lenses.

It took me about a dozen calibrations to achieve consistent results. However, once calibrated, ECF was wonderfully fast and reliable in good light. Hazy sunsets meter The built in flash has a Average distribution of light If you have an eye for It is also compatible Unlike the EOS 3 and Elan 7E, mirror lockup only works in self timer mode, making it unnecessary to cancel the custom function when you

resume normal picture taking. This implementation is less hassle and an excellent substitute for a cable release. This is a good thing because I hate the 60T3 cable release, especially trying to attach it in the dark. DEP mode refers to By focusing on the I miss this feature on These are the same lenses used However, if you have the EOS A2, the built in The EOS 5 and A2E Its easy to forget to do this one little thing. The superior low light. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Canon Eos Ix Manual. To get started finding Canon Eos Ix Manual, you are right to find our website which has a comprehensive collection of manuals listed. Our library is the biggest of these that have literally hundreds of thousands of different products represented. I get my most wanted eBook Many thanks If there is a survey it only takes 5 minutes, try any survey which works for you. When Fujifilm was asked about the GFX modular design in 2019 after the X Summit they said The exclusive use of a global shutter could make the camera extremely adaptable, but it also will save a lot of space inside the body that could make the popular modular concept a reality. Fujifilm might even be able to include IBIS, but if they did try to make it best the GFX100 in every way than I could easily see it being a 20k body if delivered in the near future, but in a few years maybe they can get the design price down to around where the GFX100 is today and upgrade the GFX100 to a GFX120 or GFX127. This would give us 4 GFX body styles to choose from.

It offers fast and reliable autofocus, inbody image stabilization, and 4K video capability. Built for extreme environments, the GFX 100 is weather resistant and freeze proof to 10C. The NAGFX100 takes all that experience and produces the most ergonomic housing available for a mirrorless digital medium format camera. Nauticam has continued to offer unencumbered access to the essential controls that underwater photographers need. The camera's "Q" menu can also be customized to accommodate most used menu items. The "Q" menu is easily accessed by the double thumb lever on the right hand side which also accesses the "AFON" button critical for back button focus. The GFX 100 has a total of 3.76 million phase detection auto focus points. Above the directional keys is a rotating lever which allows you to quickly change the focus mode. Flash EV can be controlled via a dial atop the housing and status can be seen through dedicated viewports. The flash can be turned on and off via a lever on the left side of the housing. The Nauticam N120 Port Systems supports many of those currently available including ultrawide primes, zooms, and macro lenses. Nauticam produces a "straight" 180. Both viewfinders have high quality optics, and allow bright viewing of the entire image. A patented external dioptic adjustment allows personal adjustment to a sharp as a tack standard underwater and viewfinder changes can be executed in less than 30 seconds without using tools. Exceptional composition and focus accuracy have never been more accessible. Combined with an accessory vacuum valve this monitoring system provides constant updates on the water tight and safe to dive status of the housing. A simple color coded LED lighting system lets the user know that the vacuum is solid, or that the housing is losing vacuum. Leak detection is built into the same circuit, so if there is water intrusion, an audible and visual indication will occur.

The paint not only provides additional corrosion protection to your housing, but also provides an opportunity to customise the look of your housing. And the options are almost endless. A port system specifically designed for smaller lenses allows our housings to be a lot smaller than most as they do not need to cater for a large port diameter. So no more spending hours buffing scratched ports! Billingham plans to begin production of the first batch at beginning of Q1, 2021. The Phase 1 data of the Phase. FUJIFILM Diosynth Biotechnologies Billingham site has the capacity to produce up to 180 million doses annually, which further boosts the global supply of NVXCoV2373 for additional markets. Production at the Billingham site will begin in early 2021. Now the engineering sample is ready. It supports electronic aperture control for D, G and E lenses and auto focus for AFS and AFP lenses. Like Fringer EFX adapters, PDAF works very well on newer XTrans cameras like XT3, XT4, etc. Time to market is unknown. We will keep updating its information here. New Topaz Labs Gigapixel AI sale All trademarks and brands belong to their respective owners. Disclosure this blog is sponsored by companies and affiliate partners that display various advertising banners and links.

It was represented on the American market by the EOS A2E. Two major technological advances were introduced with this model 5point selectable autofocus, and eyecontrolled focusing. During the long product cycle of this camera, a QD Quartzdate model was also available. The A2 is a almost identical version without the eye control focusing. In manual exposure mode, the EOS 5 models uses a match indicator system on a horizontal scale, while the American A2 models lacks this feature. The focus screens are interchangeable, with Canon offering seven different types. It is powered by 1x 6 V 2CR5 lithium battery. Date back variations use CR2025 3V lithium battery. Offer valid while supplies last.

Products exclusions Outlet Store products and recertified products. Retailers, Resellers and Distributors are excluded from this promotion. Discount not applicable for any prior purchases and may not be available in all regions of the world. WD reserves the right to change or discontinue this offer at any time without notice. Delivery must be within the contiguous United States, excluding addresses in Hawaii, Alaska, Puerto Rico and other U.S. territories. Sign up for our newsletter and receive a coupon for your next order. Sign up for our newsletter and receive a coupon for your next order. Sign up for our newsletter and receive a coupon for your next order. Faster Transfer Speeds. You may have to register before you can post click the register link above to proceed. To start viewing messages, select the forum that you want to visit from the selection below.